

**THE ROLE OF ARTIFICIAL INTELLIGENCE IN EVALUATING THE CLINICAL
AND BIOCHEMICAL CHARACTERISTICS OF BILIARY DYSKINESIA
DEVELOPMENT**

Khadichabonu Y. Abdurakhmonova

Tashkent State Medical University, Tashkent, Uzbekistan

Abstract

Here is the accurate and natural English translation of your text, suitable for a scientific article:

The article examines the possibilities of applying artificial intelligence in the assessment of clinical and biochemical features of the development of biliary dyskinesia. The relevance of the study is determined by the high prevalence of functional disorders of the biliary system and the complexity of their timely diagnosis. It is shown that disturbances in the motor-evacuatory function of the biliary tract are accompanied by changes in clinical symptoms and biochemical parameters, which require comprehensive analysis. The conclusion is drawn about the prospects of implementing intelligent technologies to improve the accuracy of diagnosis and personalize treatment approaches in biliary dyskinesia.

Keywords: artificial intelligence, machine learning, deep learning, biliary dyskinesia, biliary system, clinical and biochemical indicators, diagnosis, functional diseases.

“The use of AI in medicine makes it possible to develop new methods for the diagnosis and treatment of diseases, as well as to optimize the management of medical resources and improve the quality of medical care” [1]. In modern conditions, violation of the principles of rational nutrition and lifestyle contributes to an increase in the prevalence of gastrointestinal tract diseases. A significant place among them is occupied by functional disorders of the biliary system, in particular, biliary dyskinesia.

Biliary dyskinesia (BD) is a functional disease of the biliary system and is accompanied by a violation of the motor-evacuatory function of the gallbladder and biliary tract. The clinical manifestations of the disease, in combination with laboratory and instrumental indicators, form the basis for a comprehensive clinical and biochemical assessment, which can be optimized through the use of artificial intelligence.

Main Clinical Syndromes

In the clinical picture of biliary dyskinesia, the leading syndromes are:

pain syndrome;

asthenoneurotic syndrome.

These syndromes are characterized by variability in severity and duration, which complicates their interpretation during traditional clinical analysis and justifies the need to use intelligent methods of data processing.

In the hypertonic-hyperkinetic type of biliary dyskinesia, short-term pain episodes predominate, associated with increased tone of the gallbladder and sphincter apparatus. These changes are reflected mainly in the functional parameters of biliary tract motility.

In the hypotonic-hypokinetic type of biliary dyskinesia, prolonged painful sensations and dyspeptic manifestations are observed, caused by decreased contractile ability of the gallbladder and slowed bile excretion. The differences between the types of dyskinesia form characteristic clinical-functional patterns that can be formalized and used in machine learning algorithms for automated classification of the disease.

Laboratory and Instrumental Indicators

Laboratory diagnosis in biliary dyskinesia, as a rule, is not accompanied by pronounced deviations. In the complete blood count, pathological changes are absent; bilirubin levels and standard biochemical parameters remain within reference values.

Functional research methods are of key importance in assessing the clinical and biochemical features. During duodenal intubation, characteristic changes in the phases of bile excretion are revealed, reflecting the state of the sphincter of Oddi and the contractile function of the gallbladder. Data from ultrasound examination and cholecystography allow quantitative assessment of the speed and completeness of gallbladder emptying.

The combination of clinical signs, biochemical parameters, and functional indicators constitutes a structured data array suitable for analysis by artificial intelligence and deep learning methods.

The Role of Artificial Intelligence in the Assessment of Biliary Dyskinesia

The use of artificial intelligence algorithms makes it possible to integrate clinical and biochemical indicators, identify hidden relationships between parameters, and increase the accuracy of differential diagnosis of various types of biliary dyskinesia. This approach contributes to the objectification of diagnosis and the formation of personalized treatment and diagnostic strategies.

Within the framework of the study of clinical and biochemical features of the development of biliary dyskinesia, a promising direction is the application of artificial intelligence for a comprehensive assessment of laboratory data. The use of intelligent algorithms allows the detection of hidden patterns and subclinical changes that may remain unnoticed during traditional analysis.

A complete blood count in biliary dyskinesia often does not reveal significant deviations from reference values. However, in combination with inflammatory processes, leukocytosis and an increase in erythrocyte sedimentation rate (ESR) may appear. Machine learning methods make it possible to take into account even minor fluctuations in these indicators and correlate them with the clinical manifestations of the disease.

Urinalysis may demonstrate more intense coloration as well as the presence of bile pigments. Artificial intelligence algorithms are capable of automatically analyzing the combination of these changes, thereby increasing the accuracy of early diagnosis of bile outflow disorders.

Of particular importance is the biochemical blood test, which includes the determination of creatinine, uric acid, total protein and its fractions, alkaline phosphatase, gamma-glutamyltransferase, alanine and aspartate aminotransferases, bilirubin, and electrolytes. Intelligent data analysis systems allow the formation of prognostic models that assess the degree of functional impairment of the liver and biliary system based on a multiparametric approach.

An additional diagnostic value is provided by the lipid profile, which can reveal lipid metabolism disorders associated with biliary tract dysfunction. Artificial intelligence facilitates the integration of these data with other laboratory parameters, forming a holistic picture of metabolic changes.

Analysis of viral hepatitis markers and stool examination for the presence of helminths and protozoa can also be included in intelligent diagnostic models, which allows taking into account concomitant factors influencing the development and course of biliary dyskinesia.

Thus, the introduction of artificial intelligence into the assessment of clinical and biochemical indicators opens new opportunities for improving the accuracy of diagnosis, individualizing treatment approaches, and predicting the course of the disease.

“Clinical manifestations of a number of diseases of the biliary system are determined primarily by the nature of dyskinesia. Disturbances in biliary tract motility can be functional or associated with organic causes” [2]. The gallbladder plays a key role in the accumulation and

regulated release of bile synthesized in the liver and necessary for digestive processes. Disturbances in the motor-evacuatory function of the gallbladder and biliary tract lead to changes in clinical and biochemical indicators reflecting the imbalance of bile formation and bile excretion. In this regard, the application of artificial intelligence methods represents a promising approach for the comprehensive assessment of clinical and biochemical features and early detection of biliary dyskinesia.

Pathologies of the gallbladder are very difficult to diagnose due to its anatomical and functional features and the variety of clinical manifestations. In recent years, the rapid development of medical science and digital technologies has contributed to the active introduction of artificial intelligence methods, which have ensured significant progress in the diagnosis of diseases, as well as in the development and search for new drugs.

In recent years, there has been growing interest in the use of artificial intelligence methods, including machine learning and deep learning, for the analysis of clinical and biochemical indicators, assessment of the functional state of the biliary system, and prediction of the course of biliary tract diseases. These methods make it possible to identify complex nonlinear relationships between clinical manifestations, laboratory parameters, and features of the development of functional disorders that are difficult to detect using traditional statistical approaches.

In this regard, this study examines artificial intelligence approaches applied to the analysis of clinical symptoms and biochemical parameters, such as liver enzyme levels, bilirubin metabolism, and cholestasis markers, with the aim of more accurate assessment of biliary dyskinesia. The use of AI algorithms can contribute to increasing the accuracy of diagnosis, accelerating clinical decision-making, and personalizing treatment strategies.

The introduction of artificial intelligence into the assessment of clinical and biochemical indicators opens new opportunities for in-depth study of the mechanisms of development of biliary dyskinesia. The use of machine learning methods allows the analysis of the combination of clinical symptoms, blood biochemical parameters, and functional indicators of the hepatobiliary system, revealing hidden relationships that are inaccessible to traditional analysis methods.

References

1. Бельмер С.В., Гасилина Т.В. Дискинезии желчевыводящих путей и способы их коррекции у детей. // Российский вестник перинатологии и педиатрии. 2009. Т. 54, № 6, 32–37 с.
2. Бергалиева А.Н., Кеулимжаева А.Ж. Влияние искусственного интеллекта на диагностику заболеваний. // Вестник науки. 2024. № 12 (81), 1586–1593 с.
3. Бутров А.В., Алексеев И.Л. "Дискинезии желчевыводящих путей: диагностика и лечение". – М.: Медицина, 2020. – 216 с.
4. Кобринский Б.А. Искусственный интеллект и медицина: Возможности и перспективы систем, основанных на знаниях. // Новости искусственного интеллекта. 2001. № 4. 44–51 с.
5. Михайлов С.С. Искусственный интеллект и его применение в медицине. // Современные инновации. 2023. № 1 (42). 15–17 с.
6. Чучалин А.Г. "Внутренние болезни". Том 2. – М.: Медицина, 2020. – 748 с.